Table of Contents

Send Mail when VDR timer-conflict occurs script-based 3
Context 3
Prerequisite 3
Monitoring the log 4

Send Mail when VDR timer-conflict occurs script-based

- Send Mail when VDR timer-conflict occurs.

Context

Problems:

- I'm using my vdr without a client and without OSD.
- I doesn't find a pleasant possibility to send a mail when a conflict occurs.
- By using epgsearch, a conflict could arise without noticing.
- A existing Perl script wasn't possible to use for me because I have installed postfix and mailx not sendmail.

Prerequisite

- All logs produced by vdr are collected by syslog-ng into a single file so that can be analysed.

Syslog-ng.conf (part of it):

```
#vdr
log#########################################################################
##
filter f_vdr {
  program(".*vdr.*");
  };
destination d_vdr {
  file("/data/syslog/vdr/$YEAR-$MONTH/vdr.log.$DAY"
  owner(root) group(root) perm(0644) dir_perm(0755) create_dirs(yes));
  };
destination d_vdr02 {
  file("/data/syslog/vdr/$YEAR-$MONTH/$FACILITY/vdr.log.$DAY"
  owner(root) group(root) perm(0644) dir_perm(0755) create_dirs(yes));
  };
log {
  source(s_all);
  filter(f_vdr);
  destination(d_vdr);
  destination(d_vdr02);
  };
```

Monitoring the log

- Every 30min, or something like that, vdr checks for timer-conflicts (It's a German System)

```
Apr  2 17:20:00 vdr: [6734] EPGSearch: timer conflict check started
Apr  2 17:20:00 vdr: [6718] info: 1 Timer-Konflikt(e)! Erster am 02.04
20:38. Anzeigen?
Apr  2 17:20:08 vdr: [6734] EPGSearch: timer conflict check finished
```

Analysing the log isn't complicated:

- mailx only works without additional options when postfix is configured properly

vdr_timer_konflikte.sh

```
#!/bin/bash
#########################
##vdr Timer-conflicts and send mail
##30.03.2010
#########################
LOGDATE=`date '+%Y-%m'`
DAY=`date '+%d'`
LOGFILE="/syslog/vdr/$LOGDATE/vdr.log.$DAY"
LOCKFILE="/tmp/timer_konflikt_$DAY.lock"
ACTFILE="/tmp/timer_konflikt.log"
DATE=`date '+%A %d. %b %Y %H:%M:%S'`
MAILTO="user@example.com"
SUBJECT="ALERT vdr Timer-conflict($DATE)"
#################################################################
/usr/bin/find /tmp/ -name *timer_konflikt* -mtime +1 -exec rm -f {} \;
GREP=`/bin/grep "Timer-Konflikt" $LOGFILE`
# wenn grep was gefunden rückgabe = 0
if [ $? == 0 ];then
    GREP=`/bin/grep "Timer-Konflikt" $LOGFILE | tail -1 | cut -d : -f
5-6`
        #GREP=`/bin/grep "Timer-Konflikt" $LOGFILE | tail -1 | cut -c
40-120`
    # check mail already send
    touch $ACTFILE
    touch $LOCKFILE
    echo $GREP > $ACTFILE

    /usr/bin/diff $ACTFILE $LOCKFILE > /dev/null
    if [ $? != 0 ];then
        echo $GREP > $LOCKFILE
        TEXT="A Conflict in a Timer occured in the logfile.\nPleas
check.\n\n"
        TEXT="$TEXT$GREP"
        TEXT="$TEXT\n\nhttp://vdr.example.org"
    TEXT="$TEXT\nhttp://vdr.example.lan\n"
```

```
        TEXT="$TEXT \n\n\n\nYour faithful employee,\n\nyour vdr!"
        echo -e $TEXT | /usr/bin/mailx -s "$SUBJECT" $MAILTO
fi
rm -f $ACTFILE
```

From:
https://www.eanderalx.org/ - **EanderAlx.org**

Permanent link:
https://www.eanderalx.org/linux/vdr_konflikt_mail

Last update: **23.03.2013 17:44**